

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station – 96W PD – Win/Mac

Part Number: K37010NA/AP/JP | UPC Code: 0 85896 37010 9

Speed, power, and flexibility.

If you're looking for a universally compatible dock, with support for HDMI-and USB-C-based video, 96W Power Delivery, quick and efficient data transfer speeds, and flexible placement options, the SD5560T has you covered. It's a truly hybrid docking solution that requires no drivers or downloads, and works across operating systems (Windows and macOS), as well as device types (Thunderbolt 3, Thunderbolt 4, or USB-C). This dock supports up to two external displays (HDMI- and USB-C-based video) for Thunderbolt-based devices; quick and efficient data transfer speeds (40Gbps); and offers plenty of ports for all your productivity needs, including two USB-C ports, four USB-A ports, one Gigabit Ethernet port, one audio combo jack, an HDMI 2.0 port, and an extra Thunderbolt 3 port (when used with USB-C Alt Mode laptops, this Thunderbolt 3 port is downgraded to USB 2.0 and does not support video or daisy chaining features).

Features include:

- True universal compatibility
- Thunderbolt technology
- Single or Dual 4K video output for Thunderbolt-enabled devices
- · 96W power delivery
- Productive desktop setup

- · 40Gbps data transfer speeds
- Horizontal and vertical placement options
- Free Kensington DockWorks™ software
- Three-year warranty

Kensington

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station – 96W PD – Win/Mac

Part Number: K37010NA/AP/JP | UPC Code: 0 85896 37010 9

Front



Back



Kensington

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station – 96W PD – Win/Mac

Part Number: K37010NA/AP/JP | UPC Code: 0 85896 37010 9







Universal Compatibility Thunder

Works with Thunderbolt 3, Thunderbolt 4, and USB-C laptops running Windows or macOS. Perfect for hot-desking, mixed deployment environments, and home office use.

Thunderbolt™ Technology

Allows users to transfer up to 40Gbps of data, video, and audio (10Gbps for USB-C 3.2 Gen2 laptops and 5Gbps for USB-C 3.2 Gen1 laptops) using the included 0.8m (2.6 ft.) Thunderbolt 3 cable, for a powerful plug-and-play experience.



Single or Dual 4K Video Output for ThunderboltEnabled Devices

Extend visual productivity with the crisp resolution, contrast, and color depth of Ultra HD (Single or Dual 4K @ 60Hz) via the one HDMI 2.0 port and one additional Thunderbolt 3 port. USB-C Alt Mode devices support a single monitor via the HDMI port (DP1.2 at 4K/30Hz and DP1.4 at 4K/60Hz).



96W Power Delivery

Charge any Thunderbolt 3, Thunderbolt 4 or USB-C-enabled laptop quickly and easily (USB-C laptops must support Power Delivery).



Productive Desktop Setup

This 10-port universal docking features multiple ports for connecting peripherals and accessories.



Flexible Placement Options

Designed to support horizontal and vertical placement on the desktop.



Free Kensington DockWorks™ Software

For the best connection, performance, and security from your Kensington dock.



Three-Year Warranty

Rest assured knowing you're covered by Kensington.

Kensington

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station – 96W PD – Win/Mac

System Requirements		
	Systems Supported	Supports Thunderbolt 4, Thunderbolt 3, USB4, and USB-C devices
	Operating Systems Supported	Windows 10 or later / macOS 11 or later
	Plug & Play	Yes
	Software	For Windows, need to enable Intel Thunderbolt software
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel HD Graphics 620 or above
	Additional Software Information	Kensington DockWorks compatible
	USB-C Power Delivery	5V/9V/15V@3A & 20V@4.8A
USB Interface		
	Type of USB Connector	USB-C Connector
	Host Connector	Support Thunderbolt 4 / Thunderbolt 3 / USB4 / USB-C
Connections		
	Ports	Front Panel: - 1x USB-A 3.2 Gen1 (5V/0.9A) - 2x USB-C 3.2 Gen2 (1 X up to 9V/2.2A, 1 X up to 5V/1.5A) - 1x 3.5mm Audio Combo Jack Back Panel: - 1x Thunderbolt 3 Host Port (up to 96W charging) - 1x Thunderbolt 3 Downstream Facing Port - 1x HDMI 2.0 - 1x USB-A 3.2 Gen2 (up to 10Gbps and 5V/0.9A charging) - 2x USB-A 3.2 Gen1 (up to 5Gbps and 5V/0.9A charging) - 1x Ethernet 10/100/1000Mbps - 1x DC Jack
Network Connections		
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000 Mbps
Host Connectivity		
	Host Docking Connector	1 x Thunderbolt 3 upstream port (PD 96W , 5V/9V/15V@3A & 20V@4.8A)
Video Connections		
	Video Connectors	1x Thunderbolt 3 + 1x HDMI 2.0
	Maximum Resolution Supported	Thunderbolt 3 / Thunderbolt 4 (with HBR3 DP1.4) Single Monitor : 4K@60Hz Dual Monitor : 4K@60Hz
		USB-C Alt Mode Single Monitor (HDMI only) : 4K @ 30Hz (HBR2 DP1.2) 4K @ 60Hz (HBR3 DP1.4)

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station – 96W PD – Win/Mac

Part Number: K37010NA/AP/JP | UPC Code: 0 85896 37010 9

	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
_ED Indicator	Addie Chamiels Supported	Stereo Lik
	White LED	Power LED
Material Specifications		
	Exterior and BottomBottom	Aluminum
	Product Color	Pantone Cool Gray 3C / light blue
Product Dimensions		
	Unit Weight	1.85lbs (0.84kg)
	Unit Dimensions w/o Peripherals	5.70in x 3.93in x 1.96in (145mm x 100mm x 50mm)
	Enclosure Color & Material	OTS Cool Gray 3c / light blue, Aluminum CNC
Packaging Dimensions		, ,
acraging Difficusions		
	Packaging Style	Brown box
	Packaging Dimensions	8.26in x 5.31in x 4.72in (210mm x 135mm x 120mm)
	Packaging Weight	4.4lbs (2.0kg)
	Packaging Content	1 x SD5560T Dock 1 x Thunderbolt™ 3 passive cable 31.5in (0.8m) 1 x Power Supply Unit (180W) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
	Master Carton	4
Power & Environmental		
	Power Adapter Rating	Input: 100-240V; 3.5A / Output: 21V DC 8.57A (180W)
	Relative Humidity	55% RH operating temperature @ 25°C
	Operating Temperature	0° to 45°
	Storage Temperature	0° to 60°
Country of Origin, Regula	tory, and Warranty	
, ,	Country of Origin	China for AP/JP SKU / Vietnam for NA SKU
	Certifications & Compliance	FCC, IC, CE, UKCA, RCM, VCCI, CB, RoHS, ACCO RSL
	Warranty	3-Year Limited - worldwide
Special Notes		
1	Multiple SKUs	Brown Box packaging: K37010 NA/AP/JP
	L = ==	L



